

HIV in Kansas

Annual Report for January 1 – December 31, 2016



**STI/HIV Surveillance Program
STI/HIV Section
Bureau of Disease Control and Prevention
Kansas Department of Health and Environment**

Sources of information for this report:
Kansas HIV Surveillance System (eHARS)

For further information please contact the STI/HIV Surveillance Program at 785-296-6174 or email HIV_Request@kdheks.gov

Disclaimer: There may be differences from previously reported data due to data cleaning efforts.

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Notes:

- Incident Cases: Individuals with HIV or Stage 3 (previously defined as AIDS) who are newly diagnosed in Kansas between January 1– December 31, 2016.
- Prevalent Cases: Individuals with HIV or Stage 3 (previously defined as AIDS) in Kansas who are presumed to be alive as of December 31, 2016.
- Percentages may not add up to 100%, as they are rounded to the nearest percent.

Disclaimer: The purpose of this publication is to illustrate health conditions in the State of Kansas. This product may be corrected or updated as necessary without prior notification. The included map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. Except for the limited purposes allowed in K.S.A. 21-3914, knowingly selling, giving, or receiving any list of names, addresses or maps contained in or derived from public records is a crime.

Incident and Prevalent HIV Cases in Kansas as of December 2016

Incident and Prevalent HIV Cases in Kansas as of December 31, 2016 by Date of Report	Incident HIV Cases in Kansas as of December 31, 2016		Prevalent HIV Cases in Kansas as of December 31, 2016	
	N	%	N	%
Total	151	100.0%	1518	100.0%
Adult/Adolescent	151	100.0%	1487	98.0%
Pediatric	0	0.0%	31	2.0%
Age at Diagnosis	151	100.0%	1518	100.0%
<13 Years	0	0.0%	31	2.0%
13-24 Years	27	17.9%	350	23.1%
25-44 Years	86	57.0%	909	59.9%
45-64 Years	35	23.2%	219	14.4%
65 & Over	3	2.0%	9	0.6%
Race/Ethnicity	151	100.0%	1518	100.0%
American-Indian Non-Hispanic	3	2.0%	8	0.5%
Asian / Pacific Islander Non-Hispanic	5	3.3%	27	1.8%
Black Non-Hispanic	35	23.2%	419	27.6%
Hispanic	26	17.2%	231	15.2%
Multi-Race	2	1.3%	63	4.2%
Unknown	0	0.0%	4	0.3%
White Non-Hispanic	80	53.0%	766	50.5%
Gender	151	100.0%	1518	100.0%
Female	28	18.5%	309	20.4%
Transgender FTM	0	0.0%	2	0.1%
Male	120	79.5%	1199	79.0%
Transgender MTF	3	2.0%	8	0.5%
Exposure Category	151	100.0%	1518	100.0%
High Risk Heterosexual Contact	2	1.3%	203	13.4%
Injection Drug User (IDU)	6	4.0%	91	6.0%
MSM & IDU	11	7.3%	95	6.3%
Men who have sex with men (MSM)	85	56.3%	870	57.3%
No Identified Risk (NIR) or Other	47	31.1%	228	15.0%
Pediatric (All Risks Combined)	0	0.0%	31	2.0%
Total	151	100.0%	1518	100.0%


The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Incident and Prevalent Stage 3 Cases in Kansas as of December 2016

Incident and Prevalent Stage 3 HIV Cases in Kansas as of December 31, 2016 by Date of Report	Incident Stage 3 Cases in Kansas as of December 31, 2016		Prevalent Stage 3 Cases in Kansas as of December 31, 2016	
	N	%	N	%
Total	54	100.0%	1639	100.0%
Adult/Adolescent	54	100.0%	1622	99.0%
Pediatric	0	0.0%	17	1.0%
Age at Diagnosis	54	100.0%	1639	100.0%
<13 Years	0	0.0%	17	1.0%
13-24 Years	4	7.4%	272	16.6%
25-44 Years	35	64.8%	1077	65.7%
45-64 Years	15	27.8%	260	15.9%
65 & Over	0	0.0%	13	0.8%
Race/Ethnicity	54	99.9%	1639	100.0%
American-Indian Non-Hispanic	1	1.9%	3	0.2%
Asian / Pacific Islander Non-Hispanic	1	1.9%	16	1.0%
Black Non-Hispanic	14	25.9%	410	25.0%
Hispanic	13	24.0%	291	17.8%
Multi-Race	1	1.9%	69	4.2%
Unknown	0	0.0%	0	0.0%
White Non-Hispanic	24	44.4%	850	51.9%
Gender	54	100.0%	1639	100.0%
Female	10	18.5%	296	18.1%
Transgender FTM	0	0.0%	0	0.0%
Male	44	81.5%	1336	81.5%
Transgender MTF	0	0	7	0.4%
Exposure Category	54	100.0%	1639	100.1%
High Risk Heterosexual Contact	5	9.3%	263	16.0%
Injection Drug User (IDU)	3	5.6%	137	8.4%
MSM & IDU	2	3.7%	162	9.9%
Men who have sex with men (MSM)	26	48.1%	874	53.3%
No Identified Risk (NIR) or Other	18	33.3%	186	11.4%
Pediatric (All Risks Combined)	0	0.0%	17	1.0%
Total	54	100.0%	1639	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

December 2016 by Kansas Region



HIV/AIDS Community Planning Regions

Incident HIV & Stage 3 Cases and Prevalent HIV & Stage 3 Cases by Planning Region

Region	Incident HIV Cases in Kansas as of December 31, 2016	Prevalent HIV Cases in Kansas as of December 31, 2016	Incident Stage 3 Cases in Kansas as of December 31, 2016	Prevalent Stage 3 Cases in Kansas as of December 31, 2016
1	24	279	12	329
2	40	366	9	337
3	4	48	3	62
4	8	132	6	150
5	4	48	0	56
6	6	43	0	28
7	11	71	5	93
8	47	489	15	534
9	7	42	4	50
Total	151	1518	54	1639

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Incident and Prevalent HIV & Stage 3 Cases as of

December 31, 2016 – Region 1

Kansas City – Leavenworth & Wyandotte Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of December 31, 2016 by Date of Report Region 1	Incident HIV Cases in Kansas as of December 31, 2016		Prevalent HIV Cases in Kansas as of December 31, 2016		Incident Stage 3 Cases in Kansas as of December 31, 2016		Prevalent Stage 3 Cases in Kansas as of December 31, 2016	
	N	%	N	%	N	%	N	%
Total	24	100.0%	279	100.0%	12	100.0%	329	100.0%
Adult/Adolescent	24	100.0%	278	99.6%	12	100.0%	329	100.0%
Pediatric	0	0.0%	1	0.4%	0	0.0%	0	0.0%
Age at Diagnosis	24	100.0%	279	100.0%	12	100.0%	329	100.0%
<13 Years	0	0.0%	1	0.4%	0	0.0%	0	0.0%
13-24 Years	4	16.7%	75	26.9%	1	8.3%	63	19.1%
25-44 Years	16	66.7%	176	63.1%	10	83.3%	223	67.8%
45-64 Years	4	16.7%	27	9.7%	1	8.3%	41	12.5%
65 & Over	0	0.0%	0	0.0%	0	0.0%	2	0.6%
Race/Ethnicity	24	100.0%	279	100.0%	12	100.0%	329	100.0%
American-Indian Non-Hispanic	1	4.2%	2	0.7%	0	0.0%	0	0.0%
Asian / Pacific Islander Non-Hispanic	0	0.0%	3	1.1%	1	8.3%	3	0.9%
Black Non-Hispanic	6	25.0%	98	35.1%	4	33.3%	117	35.6%
Hispanic	10	41.7%	63	22.6%	4	33.3%	84	25.5%
Multi-Race	1	4.2%	16	5.7%	0	0.0%	13	4.0%
Unknown	0	0.0%	2	0.7%	0	0.0%	0	0.0%
White Non-Hispanic	6	25.0%	95	34.1%	3	25.0%	112	34.0%
Gender	24	100.0%	279	100.0%	12	100.0%	329	100.0%
Female	5	20.8%	53	19.0%	1	8.3%	48	14.6%
Transgender FTM	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Male	19	79.2%	226	81.0%	11	91.7%	277	84.2%
Transgender MTF	0	0	0	0.0%	0	0.0%	4	1.2%
Exposure Category	24	100.0%	279	100.0%	12	100.0%	329	100.0%
High Risk Heterosexual Contact	0	0.0%	39	14.0%	2	16.7%	58	17.6%
Injection Drug User (IDU)	2	8.3%	8	2.9%	1	8.3%	33	10.0%
MSM & IDU	1	4.2%	14	5.0%	1	8.3%	25	7.6%
Men who have sex with men (MSM)	13	54.2%	167	59.9%	6	50.0%	174	52.9%
No Identified Risk (NIR) or Other	8	33.3%	50	17.9%	2	16.7%	39	11.9%
Pediatric (All Risks Combined)	0	0.0%	1	0.4%	0	0.0%	0	0.0%
Total	24	100.0%	279	100.0%	12	100.0%	329	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Incident and Prevalent HIV & Stage 3 Cases as of

December 31, 2016 – Region 2

Kansas City – Johnson & Miami Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of December 31, 2016 by Date of Report Region 2	Incident HIV Cases in Kansas as of December 31, 2016		Prevalent HIV Cases in Kansas as of December 31, 2016		Incident Stage 3 Cases in Kansas as of December 31, 2016		Prevalent Stage 3 Cases in Kansas as of December 31, 2016	
	N	%	N	%	N	%	N	%
Total	40	100.0%	366	100.0%	9	100.0%	337	100.0%
Adult/Adolescent	40	100.0%	356	97.3%	9	100.0%	331	98.2%
Pediatric	0	0.0%	10	2.7%	0	0.0%	6	1.8%
Age at Diagnosis	40	100.0%	366	100.0%	9	100.0%	337	100.0%
<13 Years	0	0.0%	10	2.7%	0	0.0%	6	1.8%
13-24 Years	5	12.5%	70	19.1%	1	11.1%	50	14.8%
25-44 Years	25	62.5%	223	60.9%	5	55.6%	217	64.4%
45-64 Years	8	20.0%	59	16.1%	3	33.3%	57	16.9%
65 & Over	2	5.0%	4	1.1%	0	0.0%	7	2.1%
Race/Ethnicity	40	100.0%	366	100.0%	9	100.0%	337	100.0%
American-Indian Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	1	0.3%
Asian / Pacific Islander Non-Hispanic	3	7.5%	14	3.8%	0	0.0%	4	1.2%
Black Non-Hispanic	6	15.0%	85	23.2%	2	22.2%	84	24.9%
Hispanic	4	10.0%	41	11.2%	2	22.2%	52	15.4%
Multi-Race	0	0.0%	8	2.2%	0	0.0%	14	4.2%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%
White Non-Hispanic	27	67.5%	218	59.6%	5	55.6%	182	54.0%
Gender	40	100.0%	366	100.0%	9	100.0%	337	100.0%
Female	9	22.5%	69	18.9%	2	22.2%	71	21.1%
Transgender FTM	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Male	31	77.5%	296	80.9%	7	77.8%	265	78.6%
Transgender MTF	0	0	1	0.3%	0	0.0%	1	0.3%
Exposure Category	40	100.0%	366	100.0%	9	100.0%	337	100.0%
High Risk Heterosexual Contact	0	0.0%	50	13.7%	0	0.0%	60	17.8%
Injection Drug User (IDU)	0	0.0%	12	3.3%	1	11.1%	19	5.6%
MSM & IDU	3	7.5%	16	4.4%	0	0.0%	15	4.5%
Men who have sex with men (MSM)	23	57.5%	218	59.6%	4	44.4%	188	55.8%
No Identified Risk (NIR) or Other	14	35.0%	60	16.4%	4	44.4%	49	14.5%
Pediatric (All Risks Combined)	0	0.0%	10	2.7%	0	0.0%	6	1.8%
Total	40	100.0%	366	100.0%	9	100.0%	337	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Incident and Prevalent HIV & Stage 3 Cases as of

December 31, 2016 – Region 3

Lawrence – Douglas, Jefferson, & Franklin Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of December 31, 2016 by Date of Report Region 3	Incident HIV Cases in Kansas as of December 31, 2016		Prevalent HIV Cases in Kansas as of December 31, 2016		Incident Stage 3 Cases in Kansas as of December 31, 2016		Prevalent Stage 3 Cases in Kansas as of December 31, 2016	
	N	%	N	%	N	%	N	%
Total	4	100.0%	48	100.0%	3	100.0%	62	100.0%
Adult/Adolescent	4	100.0%	43	89.6%	3	100.0%	59	95.2%
Pediatric	0	0.0%	5	10.4%	0	0.0%	3	4.8%
Age at Diagnosis	4	100.0%	48	100.0%	3	100.0%	62	100.0%
<13 Years	0	0.0%	5	10.4%	0	0.0%	3	4.8%
13-24 Years	0	0.0%	11	22.9%	0	0.0%	11	17.7%
25-44 Years	3	75.0%	23	47.9%	2	66.7%	37	59.7%
45-64 Years	1	25.0%	9	18.8%	1	33.3%	11	17.7%
65 & Over	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Race/Ethnicity	4	100.0%	48	100.0%	3	100.0%	62	100.0%
American-Indian Non-Hispanic	0	0.0%	1	2.1%	0	0.0%	1	1.6%
Asian / Pacific Islander Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Black Non-Hispanic	2	50.0%	8	16.7%	2	66.7%	11	17.7%
Hispanic	0	0.0%	1	2.1%	0	0.0%	8	12.9%
Multi-Race	1	25.0%	4	8.3%	1	33.3%	3	4.8%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%
White Non-Hispanic	1	25.0%	34	70.8%	0	0.0%	39	62.9%
Gender	4	100.0%	48	100.0%	3	100.0%	62	100.0%
Female	1	25.0%	8	16.7%	1	33.3%	9	14.5%
Transgender FTM	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Male	3	75.0%	39	81.3%	2	66.7%	53	85.5%
Transgender MTF	0	0	1	2.1%	0	0.0%	0	0.0%
Exposure Category	4	100.0%	48	100.0%	3	100.0%	62	100.0%
High Risk Heterosexual Contact	0	0.0%	5	10.4%	0	0.0%	7	11.3%
Injection Drug User (IDU)	0	0.0%	2	4.2%	0	0.0%	1	1.6%
MSM & IDU	0	0.0%	0	0.0%	0	0.0%	8	12.9%
Men who have sex with men (MSM)	1	25.0%	28	58.3%	1	33.3%	37	59.7%
No Identified Risk (NIR) or Other	3	75.0%	8	16.7%	2	66.7%	6	9.7%
Pediatric (All Risks Combined)	0	0.0%	5	10.4%	0	0.0%	3	4.8%
Total	4	100.0%	48	100.0%	3	100.0%	62	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Incident and Prevalent HIV & Stage 3 Cases as of

December 31, 2016 – Region 4

Topeka -- Northeast Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of December 31, 2016 by Date of Report Region 4	Incident HIV Cases in Kansas as of December 31, 2016		Prevalent HIV Cases in Kansas as of December 31, 2016		Incident Stage 3 Cases in Kansas as of December 31, 2016		Prevalent Stage 3 Cases in Kansas as of December 31, 2016	
	N	%	N	%	N	%	N	%
Total	8	100.0%	132	100.0%	6	100.0%	150	100.0%
Adult/Adolescent	8	100.0%	131	99.2%	6	100.0%	148	98.7%
Pediatric	0	0.0%	1	0.8%	0	0.0%	2	1.3%
Age at Diagnosis	8	100.0%	132	100.0%	6	100.0%	150	100.0%
<13 Years	0	0.0%	1	0.8%	0	0.0%	2	1.3%
13-24 Years	3	37.5%	29	22.0%	1	16.7%	28	18.7%
25-44 Years	4	50.0%	87	65.9%	5	83.3%	98	65.3%
45-64 Years	1	12.5%	15	11.4%	0	0.0%	22	14.7%
65 & Over	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Race/Ethnicity	8	100.0%	132	100.0%	6	100.0%	150	100.0%
American-Indian Non-Hispanic	2	25.0%	3	2.3%	1	16.7%	1	0.7%
Asian / Pacific Islander Non-Hispanic	0	0.0%	1	0.8%	0	0.0%	0	0.0%
Black Non-Hispanic	1	12.5%	44	33.3%	1	16.7%	39	26.0%
Hispanic	1	12.5%	17	12.9%	0	0.0%	17	11.3%
Multi-Race	0	0.0%	4	3.0%	0	0.0%	7	4.7%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%
White Non-Hispanic	4	50.0%	63	47.7%	4	66.7%	86	57.3%
Gender	8	100.0%	132	100.0%	6	100.0%	150	100.0%
Female	2	25.0%	30	22.7%	3	50.0%	30	20.0%
Transgender FTM	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Male	6	75.0%	100	75.8%	3	50.0%	120	80.0%
Transgender MTF	0	0	2	1.5%	0	0.0%	0	0.0%
Exposure Category	8	100.0%	132	100.0%	6	100.0%	150	100.0%
High Risk Heterosexual Contact	1	12.5%	19	14.4%	2	33.3%	25	16.7%
Injection Drug User (IDU)	0	0.0%	9	6.8%	0	0.0%	13	8.7%
MSM & IDU	0	0.0%	10	7.6%	0	0.0%	19	12.7%
Men who have sex with men (MSM)	4	50.0%	75	56.8%	2	33.3%	77	51.3%
No Identified Risk (NIR) or Other	3	37.5%	18	13.6%	2	33.3%	14	9.3%
Pediatric (All Risks Combined)	0	0.0%	1	0.8%	0	0.0%	2	1.3%
Total	8	100.0%	132	100.0%	6	100.0%	150	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Incident and Prevalent HIV & Stage 3 Cases as of

December 31, 2016 – Region 5

Pittsburg – Southeast Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of December 31, 2016 by Date of Report Region 5	Incident HIV Cases in Kansas as of December 31, 2016		Prevalent HIV Cases in Kansas as of December 31, 2016		Incident Stage 3 Cases in Kansas as of December 31, 2016		Prevalent Stage 3 Cases in Kansas as of December 31, 2016	
	N	%	N	%	N	%	N	%
Total	4	100.0%	48	100.0%	0	0.0%	56	100.0%
Adult/Adolescent	4	100.0%	47	97.9%	0	0.0%	55	98.2%
Pediatric	0	0.0%	1	2.1%	0	0.0%	1	1.8%
Age at Diagnosis	4	100.0%	48	100.0%	0	0.0%	56	100.0%
<13 Years	0	0.0%	1	2.1%	0	0.0%	1	1.8%
13-24 Years	2	50.0%	13	27.1%	0	0.0%	7	12.5%
25-44 Years	0	0.0%	29	60.4%	0	0.0%	36	64.3%
45-64 Years	2	50.0%	5	10.4%	0	0.0%	11	19.6%
65 & Over	0	0.0%	0	0.0%	0	0.0%	1	1.8%
Race/Ethnicity	4	100.0%	48	100.0%	0	0.0%	56	100.0%
American-Indian Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Asian / Pacific Islander Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Black Non-Hispanic	1	25.0%	8	16.7%	0	0.0%	4	7.1%
Hispanic	0	0.0%	6	12.5%	0	0.0%	2	3.6%
Multi-Race	0	0.0%	2	4.2%	0	0.0%	3	5.4%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%
White Non-Hispanic	3	75.0%	32	66.7%	0	0.0%	47	83.9%
Gender	4	100.0%	48	100.0%	0	0.0%	56	100.0%
Female	0	0.0%	15	31.3%	0	0.0%	13	23.2%
Transgender FTM	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Male	4	100.0%	33	68.8%	0	0.0%	43	76.8%
Transgender MTF	0	0	0	0.0%	0	0.0%	0	0.0%
Exposure Category	4	100.0%	48	100.0%	0	0.0%	56	100.0%
High Risk Heterosexual Contact	0	0.0%	9	18.8%	0	0.0%	8	14.3%
Injection Drug User (IDU)	1	25.0%	10	20.8%	0	0.0%	6	10.7%
MSM & IDU	2	50.0%	9	18.8%	0	0.0%	8	14.3%
Men who have sex with men (MSM)	0	0.0%	14	29.2%	0	0.0%	27	48.2%
No Identified Risk (NIR) or Other	1	25.0%	5	10.4%	0	0.0%	6	10.7%
Pediatric (All Risks Combined)	0	0.0%	1	2.1%	0	0.0%	1	1.8%
Total	4	100.0%	48	100.0%	0	0.0%	56	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Incident and Prevalent HIV & Stage 3 Cases as of

December 31, 2016 – Region 6

Manhattan – North Central Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of December 31, 2016 by Date of Report Region 6	Incident HIV Cases in Kansas as of December 31, 2016		Prevalent HIV Cases in Kansas as of December 31, 2016		Incident Stage 3 Cases in Kansas as of December 31, 2016		Prevalent Stage 3 Cases in Kansas as of December 31, 2016	
	N	%	N	%	N	%	N	%
Total	6	100.0%	43	100.0%	0	0.0%	28	100.0%
Adult/Adolescent	6	100.0%	42	97.7%	0	0.0%	28	100.0%
Pediatric	0	0.0%	1	2.3%	0	0.0%	0	0.0%
Age at Diagnosis	6	100.0%	43	100.0%	0	0.0%	28	100.0%
<13 Years	0	0.0%	1	2.3%	0	0.0%	0	0.0%
13-24 Years	3	50.0%	18	41.9%	0	0.0%	4	14.3%
25-44 Years	2	33.3%	18	41.9%	0	0.0%	18	64.3%
45-64 Years	1	16.7%	6	14.0%	0	0.0%	6	21.4%
65 & Over	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Race/Ethnicity	6	100.0%	43	100.0%	0	0.0%	28	100.0%
American-Indian Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Asian / Pacific Islander Non-Hispanic	1	16.7%	0	0.0%	0	0.0%	1	3.6%
Black Non-Hispanic	2	33.3%	15	34.9%	0	0.0%	3	10.7%
Hispanic	1	16.7%	4	9.3%	0	0.0%	3	10.7%
Multi-Race	0	0.0%	1	2.3%	0	0.0%	1	3.6%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%
White Non-Hispanic	2	33.3%	23	53.5%	0	0.0%	20	71.4%
Gender	6	100.0%	43	100.0%	0	0.0%	28	100.0%
Female	2	33.3%	11	25.6%	0	0.0%	5	17.9%
Transgender FTM	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Male	4	66.7%	31	72.1%	0	0.0%	23	82.1%
Transgender MTF	0	0	1	2.3%	0	0.0%	0	0.0%
Exposure Category	6	100.0%	43	100.0%	0	0.0%	28	100.0%
High Risk Heterosexual Contact	0	0.0%	4	9.3%	0	0.0%	3	10.7%
Injection Drug User (IDU)	0	0.0%	1	2.3%	0	0.0%	1	3.6%
MSM & IDU	0	0.0%	1	2.3%	0	0.0%	3	10.7%
Men who have sex with men (MSM)	4	66.7%	25	58.1%	0	0.0%	19	67.9%
No Identified Risk (NIR) or Other	2	33.3%	11	25.6%	0	0.0%	2	7.1%
Pediatric (All Risks Combined)	0	0.0%	1	2.3%	0	0.0%	0	0.0%
Total	6	100.0%	43	100.0%	0	0.0%	28	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Incident and Prevalent HIV & Stage 3 Cases as of

December 31, 2016 – Region 7

Salina – Northeast & Central Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of December 31, 2016 by Date of Report Region 7	Incident HIV Cases in Kansas as of December 31, 2016		Prevalent HIV Cases in Kansas as of December 31, 2016		Incident Stage 3 Cases in Kansas as of December 31, 2016		Prevalent Stage 3 Cases in Kansas as of December 31, 2016	
	N	%	N	%	N	%	N	%
Total	11	100.0%	71	100.0%	5	100.0%	93	100.0%
Adult/Adolescent	11	100.0%	69	97.2%	5	100.0%	91	97.8%
Pediatric	0	0.0%	2	2.8%	0	0.0%	2	2.2%
Age at Diagnosis	11	100.0%	71	100.0%	5	100.0%	93	100.0%
<13 Years	0	0.0%	2	2.8%	0	0.0%	2	2.2%
13-24 Years	1	9.1%	17	23.9%	1	20.0%	13	14.0%
25-44 Years	8	72.7%	41	57.7%	2	40.0%	62	66.7%
45-64 Years	2	18.2%	11	15.5%	2	40.0%	16	17.2%
65 & Over	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Race/Ethnicity	11	100.0%	71	100.0%	5	100.0%	93	100.0%
American-Indian Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Asian / Pacific Islander Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	1	1.1%
Black Non-Hispanic	3	27.3%	15	21.1%	1	20.0%	24	25.8%
Hispanic	1	9.1%	7	9.9%	2	40.0%	11	11.8%
Multi-Race	0	0.0%	4	5.6%	0	0.0%	1	1.1%
Unknown	0	0.0%	1	1.4%	0	0.0%	0	0.0%
White Non-Hispanic	7	63.6%	44	62.0%	2	40.0%	56	60.2%
Gender	11	100.0%	71	100.0%	5	100.0%	93	100.0%
Female	1	9.1%	15	21.1%	0	0.0%	24	25.8%
Transgender FTM	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Male	10	90.9%	56	78.9%	5	100.0%	69	74.2%
Transgender MTF	0	0	0	0.0%	0	0.0%	0	0.0%
Exposure Category	11	100.0%	71	100.0%	5	100.0%	93	100.0%
High Risk Heterosexual Contact	0	0.0%	9	12.7%	0	0.0%	15	16.1%
Injection Drug User (IDU)	0	0.0%	6	8.5%	0	0.0%	17	18.3%
MSM & IDU	2	18.2%	5	7.0%	0	0.0%	7	7.5%
Men who have sex with men (MSM)	7	63.6%	37	52.1%	4	80.0%	43	46.2%
No Identified Risk (NIR) or Other	2	18.2%	12	16.9%	1	20.0%	9	9.7%
Pediatric (All Risks Combined)	0	0.0%	2	2.8%	0	0.0%	2	2.2%
Total	11	100.0%	71	100.0%	5	100.0%	93	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Incident and Prevalent HIV & Stage 3 Cases as of

December 31, 2016 – Region 8

Wichita – South Central Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of December 31, 2016 by Date of Report Region 8	Incident HIV Cases in Kansas as of December 31, 2016		Prevalent HIV Cases in Kansas as of December 31, 2016		Incident Stage 3 Cases in Kansas as of December 31, 2016		Prevalent Stage 3 Cases in Kansas as of December 31, 2016	
	N	%	N	%	N	%	N	%
Total	47	100.0%	489	100.0%	15	100.0%	534	100.0%
Adult/Adolescent	47	100.0%	479	98.0%	15	100.0%	531	99.4%
Pediatric	0	0.0%	10	2.0%	0	0.0%	3	0.6%
Age at Diagnosis	47	100.0%	489	100.0%	15	100.0%	534	100.0%
<13 Years	0	0.0%	10	2.0%	0	0.0%	3	0.6%
13-24 Years	7	14.9%	111	22.7%	0	0.0%	90	16.9%
25-44 Years	23	48.9%	282	57.7%	7	46.7%	350	65.5%
45-64 Years	16	34.0%	81	16.6%	8	53.3%	88	16.5%
65 & Over	1	2.1%	5	1.0%	0	0.0%	3	0.6%
Race/Ethnicity	47	100.0%	489	100.0%	15	100.0%	534	100.0%
American-Indian Non-Hispanic	0	0.0%	2	0.4%	0	0.0%	0	0.0%
Asian / Pacific Islander Non-Hispanic	1	2.1%	9	1.8%	0	0.0%	7	1.3%
Black Non-Hispanic	13	27.7%	142	29.0%	3	20.0%	124	23.2%
Hispanic	4	8.5%	76	15.5%	2	13.3%	81	15.2%
Multi-Race	0	0.0%	24	4.9%	0	0.0%	26	4.9%
Unknown	0	0.0%	1	0.2%	0	0.0%	0	0.0%
White Non-Hispanic	29	61.7%	235	48.1%	10	66.7%	296	55.4%
Gender	47	100.0%	489	100.0%	15	100.0%	534	100.0%
Female	7	14.9%	99	20.2%	2	13.3%	86	16.1%
Transgender FTM	0	0.0%	2	0.4%	0	0.0%	0	0.0%
Male	37	78.7%	385	78.7%	13	86.7%	446	83.5%
Transgender MTF	3	6.40%	3	0.6%	0	0.0%	2	0.4%
Exposure Category	47	100.0%	489	100.0%	15	100.0%	534	100.0%
High Risk Heterosexual Contact	1	2.1%	61	12.5%	1	6.7%	79	14.8%
Injection Drug User (IDU)	3	6.4%	40	8.2%	1	6.7%	42	7.9%
MSM & IDU	3	6.4%	34	7.0%	1	6.7%	73	13.7%
Men who have sex with men (MSM)	30	63.8%	285	58.3%	9	60.0%	288	53.9%
No Identified Risk (NIR) or Other	10	21.3%	59	12.1%	3	20.0%	49	9.2%
Pediatric (All Risks Combined)	0	0.0%	10	2.0%	0	0.0%	3	0.6%
Total	47	100.0%	489	100.0%	15	100.0%	534	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Incident and Prevalent HIV & Stage 3 Cases as of

December 31, 2016 – Region 9

Wichita – Southwest Counties


Incident and Prevalent HIV / Stage 3 Cases in Kansas as of December 31, 2016 by Date of Report Region 9	Incident HIV Cases in Kansas as of December 31, 2016		Prevalent HIV Cases in Kansas as of December 31, 2016		Incident Stage 3 Cases in Kansas as of December 31, 2016		Prevalent Stage 3 Cases in Kansas as of December 31, 2016	
	N	%	N	%	N	%	N	%
Total	7	100.0%	42	100.0%	4	100.0%	50	100.0%
Adult/Adolescent	7	100.0%	42	100.0%	4	100.0%	50	100.0%
Pediatric	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Age at Diagnosis	7	100.0%	42	100.0%	4	100.0%	50	100.0%
<13 Years	0	0.0%	0	0.0%	0	0.0%	0	0.0%
13-24 Years	2	28.6%	6	14.3%	0	0.0%	6	12.0%
25-44 Years	5	71.4%	30	71.4%	4	100.0%	36	72.0%
45-64 Years	0	0.0%	6	14.3%	0	0.0%	8	16.0%
65 & Over	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Race/Ethnicity	7	100.0%	42	100.0%	4	100.0%	50	100.0%
American-Indian Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Asian / Pacific Islander Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Black Non-Hispanic	1	14.3%	4	9.5%	1	25.0%	4	8.0%
Hispanic	5	71.4%	16	38.1%	3	75.0%	33	66.0%
Multi-Race	0	0.0%	0	0.0%	0	0.0%	1	2.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%
White Non-Hispanic	1	14.3%	22	52.4%	0	0.0%	12	24.0%
Gender	7	100.0%	42	100.0%	4	100.0%	50	100.0%
Female	1	14.3%	9	21.4%	1	25.0%	10	20.0%
Transgender FTM	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Male	6	85.7%	33	78.6%	3	75.0%	40	80.0%
Transgender MTF	0	0	0	0.0%	0	0.0%	0	0.0%
Exposure Category	7	100.0%	42	100.0%	4	100.0%	50	100.0%
High Risk Heterosexual Contact	0	0.0%	7	16.7%	0	0.0%	8	16.0%
Injection Drug User (IDU)	0	0.0%	3	7.1%	0	0.0%	5	10.0%
MSM & IDU	0	0.0%	6	14.3%	0	0.0%	4	8.0%
Men who have sex with men (MSM)	3	42.9%	21	50.0%	0	0.0%	21	42.0%
No Identified Risk (NIR) or Other	4	57.1%	5	11.9%	4	100.0%	12	24.0%
Pediatric (All Risks Combined)	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	7	100.0%	42	100.0%	4	100.0%	50	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas



02/22/2017

Number of People Living with HIV by County for the State of Kansas as of December 31, 2016



This map reflects the number of persons living in Kansas who have been diagnosed with HIV. Last reported address was utilized to determine residency. If the last reported county variable was unknown, that individual will not be reflected in this map.